



LINCOLN ROADMAP TO NET ZERO CARBON

**LINCOLN
CLIMATE
COMMISSION**

LINCOLNCLIMATE.ORG.UK
PCANCITIES.ORG



**PLACE-BASED
CLIMATE ACTION
NETWORK**

Highlights

- Scientific evidence calls for rapid reductions in global carbon emissions if we are to limit average levels of warming to 1.5 degrees and so avoid the risks associated with dangerous or runaway climate change.
- Globally, the IPCC suggests that we will have used up the global carbon budget that gives us a good chance of limiting warming to 1.5 degrees within a decade. This science underpins calls for the declaration of a climate emergency.
- Dividing the global carbon budget up by population gives Lincoln a total carbon budget of 3.9 million tonnes from 2020. Based only on the fuel and electricity used within its boundaries, Lincoln currently emits c.0.4 million tonnes of carbon a year, meaning that it would use up its carbon budget in just over 11 years.
- Carbon emissions from Lincoln have fallen by 42% since 2005. With on-going decarbonisation of electricity, and taking into account population and economic growth, we project that Lincoln's 2005 level of emissions will have fallen by 56% by 2050.
- If it is to stay within its carbon budget, Lincoln needs to add to the 42% reductions already achieved to secure 61% reductions on its 2005 level of emissions by 2025, 72% by 2030, 79% by 2035, 85% by 2040, 89% by 2045 and 92% by 2050. This means that the majority of all carbon cuts need to be delivered in the next ten years.
- To meet these targets, Lincoln will need to adopt low carbon options that close the gap between its projected emissions in 2050 and net zero emissions.
- The analysis shows that Lincoln could close this gap by 30% through the adoption of cost-effective options in houses, public and commercial buildings, transport and industry.
- Adopting these options would reduce Lincoln's total energy bill by £24.5 million p.a. whilst also creating 293 years of employment in the city.
- The most carbon effective options for the city to deliver these carbon cuts include improved heating, lighting and insulation in houses, cooling and insulation in offices, shops and restaurants and the wider up-take of electric vehicles.
- The analysis also shows that Lincoln could close the gap by 51% through the adoption of options that are already available but that may not pay for themselves directly through the energy they save. Many of these options would generate indirect benefits, for example relating to reduced congestion and air pollution and improved public health.
- This means that although it can achieve a lot by focusing on already established options, Lincoln still has to identify some other possibly more innovative options that could deliver the last 49% of the gap between its projected emissions by 2050 and a net zero target.

Introduction

Climate science has proven the connection between the concentration of greenhouse gases in the atmosphere and the extent to which the atmosphere traps heat and so leads to global warming. The science tells us – with a very high level of confidence – that such warming will lead to increasingly severe disruption to our weather patterns and water and food systems, and to ecosystems and biodiversity. Perhaps most worryingly, the science predicts that there may be a point where warming becomes self-fuelling – for example where it leads to the thawing of permafrost so that they release significant quantities of greenhouse gases that then lead to more warming. Beyond this point or threshold, the evidence suggests that we may lose control of our future climate and become subject to what has been referred to as dangerous or runaway climate change.

Until recently, scientists felt that this threshold existed at around 2 degrees centigrade of global warming, measured as a global average of surface temperatures. However, more recent scientific assessments (especially by the Intergovernmental Panel on Climate Change or IPCC in 2017) have suggested that the threshold should instead be set at 1.5 degrees centigrade. This change in the suggested threshold from 2 degrees to 1.5 degrees has led to calls for targets for decarbonisation to be made both stricter (e.g. for the UK to move from an 80% decarbonisation target to a net zero target), and to be brought forward (e.g. from 2050 to 2030).

Globally, the IPCC suggests that from 2020 we can only emit 344 billion tonnes of greenhouse gases if we want to give ourselves a 66% chance of avoiding dangerous climate change. Globally, we are currently emitting over 37 billion tonnes of greenhouse gases every year. That means that we will have used up our global carbon budget within a decade. It is this realisation – and the ever accumulating science on the scale of the impacts of climate change - that led to calls for organisations and areas to declare a climate emergency and to develop and implement plans to rapidly reduce GHG emissions.

Measuring Your Carbon Footprint

Any area's carbon footprint – measured in terms of the total impact of all of its greenhouse gas emissions - can be divided into three types of greenhouse gas emissions.



- **Those coming from the fuel** (e.g. petrol, diesel or gas) that is directly used within an area and from other sources such as landfill sites or industry within the area. These are known as Scope 1 emissions.

- **Those coming from the electricity** that is used within the area, even if it is generated somewhere else. These are known as Scope 2 emissions. Together scope 1 and 2 emissions are sometimes referred to as territorial emissions.

- **Those associated with the goods and services** that are produced elsewhere but imported and consumed within the area. After taking into account the carbon footprint of any goods and services produced in the area but that are exported and consumed elsewhere, these are known as Scope 3 or consumption-based emissions.


In this report, we focus on scope 1 and 2 emissions, and we exclude consideration of long-distance travel and of scope 3 or consumption-based emissions. We do this because scope 1 and 2 emissions are more directly under the control of actors within an area, and because the carbon accounting and management options for these emissions are better developed. We stress though that emissions from longer distance travel (especially aviation) and consumption are very significant, and also need to be addressed.

¹ For simplicity, we use the term carbon as shorthand for all greenhouse gases. All figures in this report relate to the carbon dioxide equivalent (CO₂e) of all greenhouse gases.

Lincoln's Baseline Emissions


Analysis shows that Lincoln's baseline (scope 1 and 2) emissions have fallen by 42% since 2005, due to a combination of increasingly decarbonised electricity supply, structural change in the economy, and the gradual adoption of more efficient buildings, vehicles and businesses.

With full decarbonisation of UK electricity by 2045, and taking into account economic growth (assumed at 2.5% p.a.), population growth (assumed at 0.1% p.a.) and on-going improvements in energy and fuel efficiency (assumed at 1% p.a), we project that Lincoln's baseline (scope 1 and 2) emissions will fall by a further 24% by 2050, or by a total of 56% between 2005 and 2050.




Currently, 17% of Lincoln's emissions come from the transport sector, with housing then responsible for 33% of emissions, public and commercial buildings for 29% and industry 21%. By 2030, we project emissions from transport will increase in the proportion of emissions and reduce slightly in the proportion of emissions from housing, public/commercial buildings and industry.

2018 GHG emissions by source




2030 GHG emissions by source




Science-based targets for Lincoln

The Inter-governmental Panel on Climate Change (IPCC) has argued that from 2020, keeping within a global carbon budget of 344 gigatonnes (i.e. 344 billion tonnes) of GHG emissions would give us a 66% chance of limiting average warming to 1.5 degrees and therefore avoiding dangerous levels of climate change. If we divide this global figure up on an equal basis by population, this gives Lincoln a total carbon budget of 3.9 megatonnes (i.e. 3.9 million tonnes) from 2020.



At current rates, Lincoln would use up this budget in just over 11 years. However, Lincoln could stay within its carbon budget by reducing its emissions by 29% (2.9% year on year). This would mean that Lincoln's commits to transition from its current position where its emissions are 42% lower than 2005 levels to a pathway where its emissions are 73% lower than 2005 levels by 2025 and 100% lower by 2030. Such a trajectory would mean that significant carbon cuts need to be delivered in the next ten years in order to go beyond the business as usual carbon projection demonstrated in the following table.



What are the options for Lincoln?

In addition to actions which will happen outside Lincoln, numerous options could also be adopted within Lincoln to reduce energy use and carbon emissions in homes, buildings, transport and industry.

All of the evidence suggests that there are unlikely to be many 'silver bullets' that lead to dramatic step changes in a city or town's carbon footprint, but that instead multiple options have to be adopted across all sectors. Analysis by PCAN includes assessment of the potential contribution of c.130 energy saving or low carbon measures for:

- **households and other public/commercial buildings** (better insulation, improved heating, more efficient appliances, some small scale renewables)
- **transport** (more walking and cycling, enhanced public transport, electric and more fuel efficient vehicles) and
- **industry** (better lighting, improved process efficiencies and a wide range of other energy efficiency measures).

Measures are divided into two groups.

- **The cost-effective options** where the direct costs of adopting them are outweighed by the direct benefits that they generate through the energy savings they secure. These options may also generate indirect benefits, for example through job creation, fuel poverty and improved air quality and public health.

- **The technical potential options** where the direct costs are not (at present) covered by the direct benefits. However, the cost of many low carbon options is falling quickly, and again these options could generate important indirect benefits such as those listed above.

As it is unlikely that adopting all of the cost-effective or technically viable options will enable an area to reach net-zero emissions, we also highlight the need for a third group of measures:

- **The innovative or ‘stretch’ options** that includes low-carbon measures that are not yet widely adopted. Some of the options within this group may well be cost and carbon effective, and they may also generate significant indirect benefits, but whilst we can predict their carbon saving potential, data on their costs and benefits is not yet available.

What this means for Lincoln

Our analysis predicts that the gap between the Lincoln's business as usual emissions in 2030 and the net zero target could be closed by 30% through the adoption of cost-effective options and 51% through the adoption of both the cost-effective and technically viable options.

This means that Lincoln still has to identify the innovative or stretch options that could deliver the last 24% of the gap between the business as usual (BAU) scenario and net zero.




Figure 4: Baseline with the contributions of cost-effective, technical potential and stretch options

Exploiting the cost-effective options in households, public and commercial buildings, transport and waste could be economically beneficial. Although such measures would require investments of £115 million, once adopted they would reduce Lincoln's total energy bill by £24.5 million p.a. whilst also creating 293 years of employment. However, exploiting the technically viable options would be more expensive, at least under current prices.

Across the two categories (cost-effective and technically viable options), league tables of the most carbon and cost effective options are presented below.

Most carbon effective options:

Carbon Effectiveness	Cumulative carbon savings over next decade	Measure	Sector
Highly effective	1 to 5 Mt CO ₂	Heating (<i>boilers, heat pumps, controls</i>) Insulation (<i>cost-effective insulation: cavity, loft and floor</i>) Cooling in retail buildings Boilers and Steam Piping (<i>cost-effective measures</i>) Demand reduction (<i>minor; heating, lighting and appliances</i>)	Domestic Domestic Commercial Industrial Domestic
Very effective	500 to 1000 kt CO ₂	Insulation (<i>cost-effective fabric improvements</i>) Appliances (<i>refrigeration, cookers, TVs, washing machines</i>) Lighting (<i>low energy</i>) Pumps (<i>cost-effective measures</i>)	Commercial Domestic Domestic Industrial
Effective	100 to 500 kt CO ₂	Electric vehicles (<i>cars, goods vehicles and buses</i>) Compressed Air Systems (<i>cost-effective measures</i>)	Transport Industrial

Most cost-effective options:


Cost Effectiveness	Total area cost savings over next decade	Measure	Sector
Highly effective	£500 to £1000 million	Cooling in retail buildings Hybrid cars (diesel and petrol) Insulation (<i>cost-effective insulation: cavity, loft and floor</i>)	Commercial Transport Domestic
Very effective	£100 to £500 million	Appliances (<i>refrigeration, cookers, TVs, washing machines</i>) Demand reduction (<i>minor; heating, lighting and appliances</i>) Heating (<i>boilers, heat pumps, controls</i>) Lighting (<i>low energy</i>)	Domestic Domestic Domestic Domestic
Effective	£50 to £100 million	Pumps (<i>cost-effective measures</i>) Compressed Air Systems (<i>cost-effective measures</i>) Fans (<i>cost-effective measures</i>) Boilers and Steam Piping (<i>cost-effective measures</i>)	Industrial Industrial Industrial Industrial

Some of the ideas for innovative options identified elsewhere, that could also be considered for Lincoln, include targeting a transition to net zero homes and public/commercial buildings by 2030, promoting the rapid acceleration of active travel (e.g. walking and cycling) and the adoption of electric vehicles, tackling food waste, reducing meat and dairy consumption and reducing concrete and steel consumption/promoting adoption of green infrastructure.

Next steps for Lincoln

Based on the experiences of other UK cities and towns, we would recommend the following basic steps:

- **Adopt a 5 yearly carbon reduction targets;**
- **Developing, consulting on and publishing a climate action plan** that sets out the steps needed to meet those targets and that enables capacities to be built, key barriers to be identified and removed and progress to be tracked;
- **Adopting an independent climate commission** to act as a critical friend to the city, to draw actors together to share responsibilities, build capacities, coordinate actions, celebrate successes and collate evidence to guide and track the transition;
- **Developing leadership groups for key activity areas** in homes, public and commercial buildings, transport and industry, with plans for delivery of priority actions in each sector.
- **Encouraging all large organisations and businesses** in the city to **match the broader carbon reduction commitments** and to report back on progress;
- **Ensuring that the city council itself leads the way by integrating climate change** into all of its activities and by requiring new planning applications or policy proposals to assess and communicate their contributions to/impacts on the carbon target;
- **Developing detailed engagements with all social groups** in the city to build a **social license for transformative change** and to ensure that people and places are not left behind.



References

Gouldson, A. Sudmant, A. Duncan, A. (2020). "A summary carbon roadmap for Lincoln". Place-based Climate Action Network, <https://pcancities.org.uk/>
Emissions of Carbon Dioxide per local authority area , <https://data.gov.uk/dataset>